Erratum: Coherence properties of exciton polariton OPO condensates in one and two dimensions (New Journal of Physics (2012) 14 (075018))

Spano, R.; Cuadra, J.; Anton, C.; Lingg, C. A.; Sanvitto, D.; Martin, M. D.; Vina, L.; Eastham, P. R.; Poel, Mike van der; Hvam, Jørn Märcher

Published in:
New Journal of Physics

Link to article, DOI:
10.1088/1367-2630/16/6/069501

Publication date:
2014

Document Version
Publisher's PDF, also known as Version of record

Corrigendum: Coherence properties of exciton polariton OPO condensates in one and two dimensions (2012 New J. Phys. 14 075018)

2014 New J. Phys. 16 069501

(http://iopscience.iop.org/1367-2630/16/6/069501)

New Journal of Physics
The open access journal at the forefront of physics
Deutsche Physikalische Gesellschaft DPG | IOP Institute of Physics

Corrigendum: Coherence properties of exciton polariton OPO condensates in one and two dimensions (2012 *New J. Phys.* 14 075018)

R Spano[1], J Cuadra[1], G Tosi[1], C Antón[1,2], C A Lingg[1], D Sanvitto[1,5], M D Martín[1,2], L Viña[1,2], P R Eastham[3], M van der Poel[4] and J M Hvam[4]

[1] Dept. Física Materiales, Universidad Autonóma de Madrid, Madrid 28049, Spain
[2] Instituto de Ciencia de Materiales 'Nicolás Cabrera', Universidad Autónoma de Madrid 28049 Madrid, Spain
[3] School of Physics, Trinity College Dublin, College Green, Dublin 2, Ireland
[4] DTU Fotonik, Tech. Univ. Denmark, Orsteds Plads 343 DK-2800 Kgs. Lyngby, Denmark
E-mail: rita.spano@uam.es

Received 14 May 2014
Accepted for publication 16 May 2014
Published 13 June 2014

New Journal of Physics **16** (2014) 069501
doi:10.1088/1367-2630/16/6/069501

The time scale of the abscissa axis in figure 1(b) of the original manuscript is given in *ns*, however the right time scale should have been in *fs*, as written in the corrected following figure:

[5] Present address: NNL, Istituto Nanoscienze—CNR and Istituto Italiano di Tecnologia, IIT-Lecce, Lecce, Italy.



Figure 1. (a) Typical real space emission intensity (false color scale) from the signal condensate generated by OPO at a detuning $\Delta E = -4$ meV. (b) Sinusoidal evolution of the normalized emission (I_{Norm}) versus the delay of a Mach–Zender-interferometer retro-reflector arm. The red line is a sinusoidal fit.